



## Safety Data Sheet

Dr. Schumacher

according to Regulation (EC) No 1907/2006

### ULTRASOL ACTIVE

Revision date: 31.07.2017

Product code: 00320-0128-GHS

Page 1 of 9

#### SECTION 1: Identification of the substance/mixture and of the company/undertaking

##### 1.1. Product identifier

ULTRASOL ACTIVE

##### 1.2. Relevant identified uses of the substance or mixture and uses advised against

###### Use of the substance/mixture

Disinfectant for surfaces

##### 1.3. Details of the supplier of the safety data sheet

Company name:	Dr. Schumacher GmbH	
Street:	Am Roggenfeld 3	
Place:	34323 Malsfeld / DEUTSCHLAND	
Telephone:	+49 (0) 5664/9496-0	Telefax: +49 (0) 5664/8444
e-mail:	post@schumacher-online.com	
Internet:	www.schumacher-online.com	
Responsible Department:	Responsible for the safety data sheet: sds@gbk-ingelheim.de	

##### 1.4. Emergency telephone number:

INTERNATIONAL: +49 - (0) 6132 - 84463, GBK GmbH (24h - 7d/w - 365d/a)  
England and Wales: NHS Direct - 0845 4647; Scotland: NHS 24 - 08454 24 24  
24

#### SECTION 2: Hazards identification

##### 2.1. Classification of the substance or mixture

###### Regulation (EC) No. 1272/2008

Hazard categories:

Oxidising solid: Ox. Sol. 2

Serious eye damage/eye irritation: Eye Dam. 1

Hazard Statements:

May intensify fire; oxidiser.

Causes serious eye damage.

##### 2.2. Label elements

###### Regulation (EC) No. 1272/2008

###### Hazard components for labelling

Disodium carbonate, compound with hydrogen peroxide (2:3)

Signal word: Danger

Pictograms:



###### Hazard statements

H272	May intensify fire; oxidiser.
H318	Causes serious eye damage.

###### Precautionary statements

P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P221	Take any precaution to avoid mixing with combustibles.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
P302+P352	IF ON SKIN: Wash with plenty of water.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P308+P313	IF exposed or concerned: Get medical advice/attention.

**Safety Data Sheet**

Dr. Schumacher

according to Regulation (EC) No 1907/2006

**ULTRASOL ACTIVE**

Revision date: 31.07.2017

Product code: 00320-0128-GHS

Page 2 of 9

P501 Dispose of contents/container to approved disposal company or local collection.

**2.3. Other hazards**

According to Regulation (EC) No 1907/2006 (REACH) none of the substances, contained in this product are a PBT / vPvB substance.

**SECTION 3: Composition/information on ingredients****3.2. Mixtures****Chemical characterization**

Mixture of the following substances with non-hazardous admixtures

**Hazardous components**

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	Classification according to Regulation (EC) No. 1272/2008 [CLP]			
15630-89-4	Disodium carbonate, compound with hydrogen peroxide (2:3)			< 50 %
	239-707-6		01-2119457268-30	
	Ox. Sol. 2, Acute Tox. 4, Eye Dam. 1; H272 H302 H318			
77-92-9	Citric acid			< 10 %
	201-069-1		01-2119457026-42	
	Eye Irrit. 2; H319			

Full text of H and EUH statements: see section 16.

**SECTION 4: First aid measures****4.1. Description of first aid measures****General information**

Remove contaminated soaked clothing immediately.  
If you feel unwell, seek medical advice.

**After inhalation**

Move to fresh air in case of accidental inhalation of dust or fumes from overheating or combustion.  
If symptoms persist, call a physician.

**After contact with skin**

In case of contact with skin wash off with water.  
Consult a doctor if skin irritation persists.

**After contact with eyes**

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.  
Seek medical treatment by eye specialist.

**After ingestion**

Do not induce vomiting.  
Rinse out mouth and give plenty of water to drink.  
Never give anything by mouth to an unconscious person.  
Summon a doctor immediately.

**4.2. Most important symptoms and effects, both acute and delayed**

Causes serious eye damage.  
Watch out. Beware, hazard of foam aspiration.

**4.3. Indication of any immediate medical attention and special treatment needed**

Treat symptoms.

**SECTION 5: Firefighting measures**



## ULTRASOL ACTIVE

Revision date: 31.07.2017

Product code: 00320-0128-GHS

Page 3 of 9

### 5.1. Extinguishing media

#### **Suitable extinguishing media**

Product does not burn, fire-extinguishing activities according to surrounding.  
Foam, carbon dioxide (CO<sub>2</sub>), dry chemical, water-spray.

#### **Unsuitable extinguishing media**

Full water jet.

### 5.2. Special hazards arising from the substance or mixture

Oxidizing

Fire may produce:

Carbon monoxide (CO), carbon dioxide (CO<sub>2</sub>), phosphorus oxides (PO<sub>x</sub>) and nitrogen oxides (NO<sub>x</sub>).

### 5.3. Advice for firefighters

Use breathing apparatus with independent air supply.

Protective suit.

#### **Additional information**

Cool containers at risk with water spray jet.

Fire residues and contaminated firefighting water must be disposed of in accordance with the local regulations.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation.

Avoid dust formation. Do not breathe dust.

Avoid contact with skin, eyes and clothing.

Use personal protective clothing.

Forms slippery surfaces with water.

### 6.2. Environmental precautions

Do not discharge into the drains/surface waters/ground water.

Inform competent authority about release into the sewage, ground or into waters.

### 6.3. Methods and material for containment and cleaning up

Pick up mechanically, avoiding dust, and provide disposal in suitable recipients.

Where possible recycling is preferred to disposal.

### 6.4. Reference to other sections

Observe protective instructions (see Sections 7 and 8).

Information for disposal see section 13.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

#### **Advice on safe handling**

Provide appropriate exhaust ventilation at machinery and at places where dust can be generated.

Do not breathe dust.

Avoid contact with eyes, skin or mucous membrane.

#### **Advice on protection against fire and explosion**

Oxidizing

Keep away from sources of ignition - No smoking.

Take measures against electrostatically charging.

### 7.2. Conditions for safe storage, including any incompatibilities

#### **Requirements for storage rooms and vessels**

Container should not be gas-tight closed. Use only in well-ventilated areas.

Protect from heat and direct solar radiation.

Protect from atmospheric moisture and water.

Do not store above 25°C.

**Safety Data Sheet**

Dr. Schumacher

according to Regulation (EC) No 1907/2006

**ULTRASOL ACTIVE**

Revision date: 31.07.2017

Product code: 00320-0128-GHS

Page 4 of 9

**Advice on storage compatibility**

Keep away from acids, bases, heavy metal salts and reducing agents.

**Further information on storage conditions**

Keep away from food, drink and animal feeding stuffs.

**7.3. Specific end use(s)**

Disinfectant for surfaces

**SECTION 8: Exposure controls/personal protection****8.1. Control parameters****Additional advice on limit values**

Obey TLV for common dust, if applicable.

**8.2. Exposure controls****Appropriate engineering controls**

Provide appropriate exhaust ventilation at machinery and at places where dust can be generated.

**Protective and hygiene measures**

Do not breathe dust.

Avoid contact with eyes and skin.

Wash hands before breaks and immediately after handling the product.

When using do not eat, drink or smoke.

Remove and wash contaminated clothes before re-use.

**Eye/face protection**

Tightly fitting goggles (EN 166).

Eye wash bottle with pure water (EN 15154).

**Hand protection**

Protective gloves resistant to chemicals made off nitrile, Minimum coat thickness 0.2 mm, Permeation resistance (wear duration) approx. 480 minutes, i.e. protective glove &lt;Dermatril P 743&gt; made by www.kcl.de.

This recommendation refers exclusively to the chemical compatibility and the lab test conforming to EN 374 carried out under lab conditions.

Requirements can vary as a function of the use. Therefore it is necessary to adhere additionally to the recommendations given by the manufacturer of protective gloves.

**Skin protection**

Light protective clothing

**Respiratory protection**

No personal respiratory protective equipment normally required.

Breathing apparatus (particle filter) only if dust is formed. (Particle filter P2)

**SECTION 9: Physical and chemical properties****9.1. Information on basic physical and chemical properties**

Physical state:	Solid
Colour:	White
Odour:	Soft / Uncharacteristic

pH-Value (at 20 °C):	8,5 (1%ig)	<b>Test method</b>
----------------------	------------	--------------------

**Changes in the physical state**

Flash point: n.a.

Lower explosion limits: n.d.

Upper explosion limits:

**Safety Data Sheet**

Dr. Schumacher

according to Regulation (EC) No 1907/2006

**ULTRASOL ACTIVE**

Revision date: 31.07.2017

Product code: 00320-0128-GHS

Page 5 of 9

Ignition temperature:

n.a.

Water solubility:  
(at 20 °C)

Soluble

**9.2. Other information**

No data available.

**SECTION 10: Stability and reactivity****10.1. Reactivity**

No decomposition if stored and applied as directed.

**10.2. Chemical stability**

Stable under normal conditions.

**10.3. Possibility of hazardous reactions**

Reactions with strong acids and alkalies.

Reactions with reducing agents, heavy metals.

**10.4. Conditions to avoid**

To avoid thermal decomposition, do not overheat.

Do not store above 25°C.

**10.5. Incompatible materials**

Keep away from acids, bases, heavy metal salts and reducing agents.

**10.6. Hazardous decomposition products**Carbon monoxide (CO), carbon dioxide (CO<sub>2</sub>), phosphorus oxides (PO<sub>x</sub>) and nitrogen oxides (NO<sub>x</sub>).**SECTION 11: Toxicological information****11.1. Information on toxicological effects****Acute toxicity**

Based on available data, the classification criteria are not met.

No toxicological data available.

**Irritation and corrosivity**

Causes serious eye damage.

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

**Sensitising effects**

Based on available data, the classification criteria are not met.

**Carcinogenic/mutagenic/toxic effects for reproduction**

Based on available data, the classification criteria are not met.

**STOT-single exposure**

Based on available data, the classification criteria are not met.

**STOT-repeated exposure**

Based on available data, the classification criteria are not met.

**Aspiration hazard**

Based on available data, the classification criteria are not met.

**Additional information on tests**

Classification in compliance with the assessment procedure specified in the Regulation (EC) no 1272/2008.

**Practical experience****Other observations**

Watch out. Beware, hazard of foam aspiration.

**SECTION 12: Ecological information**

**Safety Data Sheet**

Dr. Schumacher

according to Regulation (EC) No 1907/2006

**ULTRASOL ACTIVE**

Revision date: 31.07.2017

Product code: 00320-0128-GHS

Page 6 of 9

**12.1. Toxicity**

Ecological data are not available.

**12.2. Persistence and degradability**

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

**12.3. Bioaccumulative potential**

No data available.

**12.4. Mobility in soil**

No data available.

**12.5. Results of PBT and vPvB assessment**

According to Regulation (EC) No 1907/2006 (REACH) none of the substances, contained in this product are a PBT / vPvB substance.

**12.6. Other adverse effects**

Low hazard to waters.

**Further information**

Do not discharge product unmonitored into the environment.

**SECTION 13: Disposal considerations****13.1. Waste treatment methods****Advice on disposal**

Remove in accordance with local official regulations.

**Waste disposal number of waste from residues/unused products**

070608 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fats, grease, soaps, detergents, disinfectants and cosmetics; other still bottoms and reaction residues; hazardous waste

**Contaminated packaging**

Empty containers should be taken for local recycling, recovery or waste disposal.  
Contaminated packaging should be emptied as far as possible and after appropriate cleansing may be taken for reuse.  
Packaging that cannot be cleaned should be disposed of like the product.

**SECTION 14: Transport information****Land transport (ADR/RID)**

<b>14.1. UN number:</b>	UN 3378
<b>14.2. UN proper shipping name:</b>	SODIUM CARBONATE PEROXYHYDRATE
<b>14.3. Transport hazard class(es):</b>	5.1
<b>14.4. Packing group:</b>	II
Hazard label:	5.1



Classification code:	O2
Limited quantity:	1 kg / 30 kg
Excepted quantity:	E2
Transport category:	2
Hazard No:	50
Tunnel restriction code:	E



# Safety Data Sheet

Dr. Schumacher GmbH

Dr. Schumacher

according to Regulation (EC) No 1907/2006

## ULTRASOL ACTIVE

Revision date: 31.07.2017

Product code: 00320-0128-GHS

Page 7 of 9

### Inland waterways transport (ADN)

**14.1. UN number:** UN 3378  
**14.2. UN proper shipping name:** SODIUM CARBONATE PEROXYHYDRATE  
**14.3. Transport hazard class(es):** 5.1  
**14.4. Packing group:** II  
Hazard label: 5.1



Classification code: O2  
Limited quantity: 1 kg / 30 kg  
Excepted quantity: E2

### Marine transport (IMDG)

**14.1. UN number:** UN 3378  
**14.2. UN proper shipping name:** SODIUM CARBONATE PEROXYHYDRATE  
**14.3. Transport hazard class(es):** 5.1  
**14.4. Packing group:** II  
Hazard label: 5.1



Marine pollutant: No  
Limited quantity: 1 kg / 30 kg  
Excepted quantity: E2  
EmS: F-A, S-Q

### Air transport (ICAO-TI/IATA-DGR)

**14.1. UN number:** UN 3378  
**14.2. UN proper shipping name:** SODIUM CARBONATE PEROXYHYDRATE  
**14.3. Transport hazard class(es):** 5.1  
**14.4. Packing group:** II  
Hazard label: 5.1



Limited quantity Passenger: 2.5 kg  
Passenger LQ: Y544  
Excepted quantity: E2  
IATA-packing instructions - Passenger: 558  
IATA-max. quantity - Passenger: 5 kg  
IATA-packing instructions - Cargo: 562  
IATA-max. quantity - Cargo: 25 kg

### 14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: no

### 14.6. Special precautions for user

Take the usual precautions when handling with chemicals.

### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

The transport takes place only in approved and appropriate packaging.

**Safety Data Sheet**

Dr. Schumacher

according to Regulation (EC) No 1907/2006

**ULTRASOL ACTIVE**

Revision date: 31.07.2017

Product code: 00320-0128-GHS

Page 8 of 9

**SECTION 15: Regulatory information****15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****EU regulatory information**

2004/42/EC (VOC): 0 %

**National regulatory information**

Employment restrictions: Observe restrictions to employment for juvenils according to the 'juvenile work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

Water contaminating class (D): 1 - slightly water contaminating

**15.2. Chemical safety assessment**

For this substance a chemical safety assessment has not been carried out.

**SECTION 16: Other information****Changes**

Changes in chapter: 2, 14

**Abbreviations and acronyms**

ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route  
RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses  
ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure  
IMDG = International Maritime Code for Dangerous Goods  
IATA/ICAO = International Air Transport Association / International Civil Aviation Organization  
MARPOL = International Convention for the Prevention of Pollution from Ships  
IBC-Code = International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk  
GHS = Globally Harmonized System of Classification and Labelling of Chemicals  
REACH = Registration, Evaluation, Authorization and Restriction of Chemicals  
CAS = Chemical Abstract Service  
EN = European norm  
ISO = International Organization for Standardization  
DIN = Deutsche Industrie Norm  
PBT = Persistent Bioaccumulative and Toxic  
vPvB = Very Persistent and very Bio-accumulative  
LD = Lethal dose  
LC = Lethal concentration  
EC = Effect concentration  
IC = Median immobilisation concentration or median inhibitory concentration

**Relevant H and EUH statements (number and full text)**

H272 May intensify fire; oxidiser.  
H302 Harmful if swallowed.  
H318 Causes serious eye damage.  
H319 Causes serious eye irritation.

**Further Information**

Data of items 4 to 8, as well as 10 to 12, do partly not refer to the use and the regular employing of the product (in this sense consult information on use and on product), but to liberation of major amounts in case of accidents and irregularities.

The information describes exclusively the safety requirements for the product(s) and is based on the present level of our knowledge.

The delivery specifications are contained in the corresponding product sheet.

This data does not constitute a guarantee for the characteristics of the product(s) as defined by the legal





## Safety Data Sheet

**Dr. Schumacher**

according to Regulation (EC) No 1907/2006

### ULTRASOL ACTIVE

Revision date: 31.07.2017

Product code: 00320-0128-GHS

Page 9 of 9

warranty regulations.

(n.a. = not applicable; n.d. = not determined)

---

*(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)*