



# Safety Data Sheet

according to Regulation (EC) No 1907/2006

## ULTRASOL OXY

Revision date: 17.03.2023

Product code: 00320-0347-GHS

Page 1 of 9

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

ULTRASOL OXY

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### Use of the substance/mixture

Disinfectant for surfaces

#### 1.3. Details of the supplier of the safety data sheet

Company name:	Dr. Schumacher GmbH	
Street:	Am Roggenfeld 3	
Place:	34323 Malsfeld / DEUTSCHLAND	
Telephone:	+49 (0) 5664/9496-0	Telefax: +49 (0) 5664/8444
e-mail:	post@schumacher-online.com	
Internet:	www.schumacher-online.com	
Responsible Department:	Responsible for the safety data sheet: sds@gbk-ingelheim.de	

**1.4. Emergency telephone number:** INTERNATIONAL: +49 - (0) 6132 - 84463, GBK GmbH (24h - 7d/w - 365d/a)  
In England and Wales: NHS 111 In Scotland: NHS 24 - dial 111

### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

##### Regulation (EC) No. 1272/2008

Eye Irrit. 2; H319

Full text of hazard statements: see SECTION 16.

#### 2.2. Label elements

##### Regulation (EC) No. 1272/2008

Signal word: Warning

Pictograms:



##### Hazard statements

H319 Causes serious eye irritation.

##### Precautionary statements

P280	Wear protective gloves/protective clothing/eye protection/face protection.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337+P313	If eye irritation persists: Get medical advice/attention.
P501	Dispose of contents/container to approved disposal company or local collection.

#### 2.3. Other hazards

According to Regulation (EC) No 1907/2006 (REACH) none of the substances, contained in this product are a PBT / vPvB substance.

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605

### SECTION 3: Composition/information on ingredients

**ULTRASOL OXY**

Revision date: 17.03.2023

Product code: 00320-0347-GHS

Page 2 of 9

**3.2. Mixtures****Chemical characterization**

Mixture containing following substances with additives

**Hazardous components**

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	GHS Classification			
7722-84-1	Hydrogen peroxide			< 8 %
	231-765-0	008-003-00-9	01-2119485845-22	
	Ox. Liq. 1, Acute Tox. 4, Acute Tox. 4, Skin Corr. 1A, Eye Dam. 1, STOT SE 3, Aquatic Chronic 3; H271 H332 H302 H314 H318 H335 H412			
79-21-0	Peracetic acid			< 0,25 %
	201-186-8	607-094-00-8	01-2119531330-56	
	Flam. Liq. 3, Org. Perox. D, Acute Tox. 4, Acute Tox. 4, Acute Tox. 4, Skin Corr. 1A, Eye Dam. 1, STOT SE 3, Aquatic Acute 1, Aquatic Chronic 1; H226 H242 H332 H312 H302 H314 H318 H335 H400 H410			

Full text of H and EUH statements: see section 16.

**Specific Conc. Limits, M-factors and ATE**

CAS No	EC No	Chemical name	Quantity
	Specific Conc. Limits, M-factors and ATE		
7722-84-1	231-765-0	Hydrogen peroxide	< 8 %
	inhalation: ATE = 11 mg/l (vapours); inhalation: ATE = 1,5 mg/l (dusts or mists); dermal: LD50 = 3000 mg/kg; oral: LD50 = 418 - 445 mg/kg Ox. Liq. 1; H271: >= 70 - 100 Ox. Liq. 2; H272: >= 50 - < 70 Skin Corr. 1A; H314: >= 70 - 100 Skin Corr. 1B; H314: >= 50 - < 70 Skin Irrit. 2; H315: >= 35 - < 50 Eye Dam. 1; H318: >= 8 - < 50 Eye Irrit. 2; H319: >= 5 - < 8 STOT SE 3; H335: >= 35 - 100		
79-21-0	201-186-8	Peracetic acid	< 0,25 %
	inhalation: ATE = 11 mg/l (vapours); inhalation: ATE = 1,5 mg/l (dusts or mists); dermal: ATE = 1100 mg/kg; oral: ATE = 500 mg/kg STOT SE 3; H335: >= 1 - 100		

**SECTION 4: First aid measures****4.1. Description of first aid measures****General information**

Remove contaminated soaked clothing immediately.

**After inhalation**

Ensure of fresh air.

In the event of symptoms refer for medical treatment.

**After contact with skin**

In case of contact with skin wash off immediately with plenty of water.

If symptoms persist, call a physician.

**After contact with eyes**

Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Seek medical treatment by eye specialist.

**After ingestion**

Do not induce vomiting.

Rinse out mouth and give plenty of water to drink.

Never give anything by mouth to an unconscious person.

Summon a doctor immediately.

Induce vomiting only upon the advice of a physician.



**ULTRASOL OXY**

Revision date: 17.03.2023

Product code: 00320-0347-GHS

Page 3 of 9

**4.2. Most important symptoms and effects, both acute and delayed**

Causes serious eye irritation.  
Ingestion causes irritation of upper respiratory system and gastrointestinal disturbance.

**4.3. Indication of any immediate medical attention and special treatment needed**

Treat symptoms.

**SECTION 5: Firefighting measures**

**5.1. Extinguishing media**

**Suitable extinguishing media**

Product does not burn, fire-extinguishing activities according to surrounding.

**Unsuitable extinguishing media**

Full water jet

**5.2. Special hazards arising from the substance or mixture**

If exposed to heat, closed container may expand and burst.  
In the event of fire the following can be released:  
oxygen

**5.3. Advice for firefighters**

Wear self-contained breathing apparatus and protective suit.

**Additional information**

Cool containers at risk with water spray jet.  
Collect contaminated firefighting water separately, must not be discharged into the drains.  
Fire residues and contaminated firefighting water must be disposed of in accordance with the local regulations.

**SECTION 6: Accidental release measures**

**6.1. Personal precautions, protective equipment and emergency procedures**

**General advice**

Ensure adequate ventilation.  
Keep away noninvolved persons.  
Keep away sources of ignition.

**For non-emergency personnel**

Avoid contact with skin, eyes and clothing.  
Do not breathe vapours.

**For emergency responders**

In case of vapour formation use respirator.  
Use personal protective clothing.

**6.2. Environmental precautions**

Do not discharge into the drains/surface waters/ground water.  
Dilute with plenty of water.

**6.3. Methods and material for containment and cleaning up**

**For containment**

Prevent spread over a wide area (e.g. by containment or oil barriers).

**For cleaning up**

Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder).  
Shovel into suitable container for disposal.  
Do not take up with sawdust or other combustible materials.  
Use chemical neutralizers.  
Never return product residue into the storage container. Risk of decomposition.

**6.4. Reference to other sections**

Observe protective instructions (see Sections 7 and 8).



ULTRASOL OXY

Revision date: 17.03.2023

Product code: 00320-0347-GHS

Page 4 of 9

Information for disposal see section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

- Use only in thoroughly ventilated areas.
Avoid contact with skin, eyes and clothing.
Container should not be gas-tight closed.
Never return product residue into the storage container. Risk of decomposition.

Advice on protection against fire and explosion

- Keep away from heat.
Keep away from sources of ignition - No smoking.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

- Keep only in original container. Container should not be gas-tight closed.
Protect from heat and direct solar radiation.
Recommended storage temperature: 20°C
Keep from freezing.
Unsuitable material for container: Iron, Aluminium, Zinc

Hints on joint storage

- Incompatible with:
alkalies, Brass, Copper

Further information on storage conditions

- Keep away from food, drink and animal feeding stuffs.

7.3. Specific end use(s)

- Disinfectant for surfaces

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

Table with 7 columns: CAS No, Substance, ppm, mg/m³, fibres/ml, Category, Origin. Row 1: 7722-84-1, Hydrogen peroxide, 1, 1.4, STEL (15 min), WEL. Row 2: 7722-84-1, Hydrogen peroxide, 2, 2.8, TWA (8 h), WEL.

Additional advice on limit values

This product does not contain any substances for which a Workplace Exposure Limit has been set in concentrations above the limits.

8.2. Exposure controls

Appropriate engineering controls

- Ensure adequate ventilation, especially in confined areas.

Protective and hygiene measures

- Keep away from food, drink and animal feeding stuffs.
Take off immediately all contaminated clothing.
Wash hands before breaks and at the end of workday.
Avoid contact with the skin and the eyes.
Do not breath vapours or spray mist.



**ULTRASOL OXY**

Revision date: 17.03.2023

Product code: 00320-0347-GHS

Page 5 of 9

**Eye/face protection**

Tightly fitting goggles (EN 166).

**Hand protection**

Protective gloves resistant to chemicals made off butyl, minimum coat thickness 0.7 mm, permeation resistance approx. 480 minutes, i.e. protective glove <Butoject 898> made by www.kcl.de.

This recommendation refers exclusively to the chemical compatibility and the lab test conforming to EN 374 carried out under lab conditions.

Follow the recommendations of the glove manufacturer for breakthrough properties especially for workplace conditions involving mechanical stress and contact duration.

**Skin protection**

Long sleeved clothing (DIN EN ISO 6530)

**Respiratory protection**

No personal respiratory protective equipment normally required.

**SECTION 9: Physical and chemical properties**

**9.1. Information on basic physical and chemical properties**

Physical state:	Liquid
Colour:	Colourless
Odour:	Of acetic acid
pH-Value (at 20 °C):	2,2 - 4,2

**Changes in the physical state**

Melting point/freezing point:	< 0 °C
Boiling point or initial boiling point and boiling range:	> 100 °C
Sublimation point:	n.a.
Softening point:	n.d.
Flash point:	> 100 °C
Sustaining combustion:	Not sustaining combustion

**Flammability**

Solid/liquid:	n.d.
---------------	------

**Explosive properties**

The product is not explosive.

Lower explosion limits:	n.d.
Upper explosion limits:	n.d.
Auto-ignition temperature:	n.d.

**Self-ignition temperature**

Solid:	n.a.
Gas:	n.a.

Decomposition temperature:	n.d.
----------------------------	------

**Oxidizing properties**

Not oxidising.

Vapour pressure:	n.d.
------------------	------

Density (at 20 °C):	1,024 g/cm <sup>3</sup>
---------------------	-------------------------

Bulk density:	n.a.
---------------	------

Water solubility: (at 20 °C)	Miscible
---------------------------------	----------



**ULTRASOL OXY**

Revision date: 17.03.2023

Product code: 00320-0347-GHS

Page 6 of 9

**Solubility in other solvents**

n.d.

Partition coefficient n-octanol/water:

n.d.

Viscosity / dynamic:

n.d.

Viscosity / kinematic:

n.d.

Flow time:

n.d.

(at 20 °C)

Relative vapour density:

n.d.

Evaporation rate:

n.d.

Solvent separation test:

0 %

Solvent content:

0 %

**9.2. Other information**

No data available

**SECTION 10: Stability and reactivity**

**10.1. Reactivity**

No decomposition if stored and applied as directed.

**10.2. Chemical stability**

Stable under normal conditions.

**10.3. Possibility of hazardous reactions**

Reactions with alkalis.

**10.4. Conditions to avoid**

To avoid thermal decomposition, do not overheat.

Protect from contamination.

**10.5. Incompatible materials**

Alkalies, Brass, Copper

**10.6. Hazardous decomposition products**

No hazardous decomposition products known.

**SECTION 11: Toxicological information**

**11.1. Information on hazard classes as defined in Regulation (EC) No. 1272/2008**

**Acute toxicity**

Based on available data, the classification criteria are not met.

No toxicological data available.

**ATEmix calculated**

ATE (oral) 6118,3 mg/kg; ATE (inhalation vapour) 161,01 mg/l; ATE (inhalation dust/mist) 21,956 mg/l

**Irritation and corrosivity**

Causes serious eye irritation.

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

**Sensitising effects**

Based on available data, the classification criteria are not met.

**Carcinogenic/mutagenic/toxic effects for reproduction**

Based on available data, the classification criteria are not met.

**STOT-single exposure**

Based on available data, the classification criteria are not met.



**ULTRASOL OXY**

Revision date: 17.03.2023

Product code: 00320-0347-GHS

Page 7 of 9

**STOT-repeated exposure**

Based on available data, the classification criteria are not met.

**Aspiration hazard**

Based on available data, the classification criteria are not met.

**Additional information on tests**

Classification in compliance with the assessment procedure specified in the Regulation (EC) no 1272/2008.

**11.2. Information on other hazards**

**Endocrine disrupting properties**

No data available.

**Other information**

Ingestion causes irritation of upper respiratory system and gastrointestinal disturbance.

**SECTION 12: Ecological information**

**12.1. Toxicity**

Ecological data are not available.

**12.2. Persistence and degradability**

Readily biodegradable.

**12.3. Bioaccumulative potential**

There is no indication of bioaccumulation potential.

**12.4. Mobility in soil**

No data available

**12.5. Results of PBT and vPvB assessment**

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

**12.6. Endocrine disrupting properties**

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

**12.7. Other adverse effects**

Low hazard to waters.

**Further information**

Do not flush into surface water or sanitary sewer system.

**SECTION 13: Disposal considerations**

**13.1. Waste treatment methods**

**Disposal recommendations**

Can be disposed of after chemical and physical treatment, when in compliance with local regulations.

**List of Wastes Code - residues/unused products**

070699 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fats, grease, soaps, detergents, disinfectants and cosmetics; wastes not otherwise specified

**Contaminated packaging**

Empty containers should be taken for local recycling, recovery or waste disposal.

Contaminated packaging should be emptied as far as possible and after appropriate cleansing may be taken for reuse.

Packaging that cannot be cleaned should be disposed of like the product.

**SECTION 14: Transport information**

**Land transport (ADR/RID)**

**14.1. UN number:**

No dangerous good in sense of this transport regulation.



### Safety Data Sheet

according to Regulation (EC) No 1907/2006

#### ULTRASOL OXY

Revision date: 17.03.2023

Product code: 00320-0347-GHS

Page 8 of 9

- 14.2. UN proper shipping name:** No dangerous good in sense of this transport regulation.
- 14.3. Transport hazard class(es):** No dangerous good in sense of this transport regulation.
- 14.4. Packing group:** No dangerous good in sense of this transport regulation.

#### Inland waterways transport (ADN)

- 14.1. UN number:** No dangerous good in sense of this transport regulation.
- 14.2. UN proper shipping name:** No dangerous good in sense of this transport regulation.
- 14.3. Transport hazard class(es):** No dangerous good in sense of this transport regulation.
- 14.4. Packing group:** No dangerous good in sense of this transport regulation.

#### Marine transport (IMDG)

- 14.1. UN number:** No dangerous good in sense of this transport regulation.
- 14.2. UN proper shipping name:** No dangerous good in sense of this transport regulation.
- 14.3. Transport hazard class(es):** No dangerous good in sense of this transport regulation.
- 14.4. Packing group:** No dangerous good in sense of this transport regulation.

#### Air transport (ICAO-TI/IATA-DGR)

- 14.1. UN number:** No dangerous good in sense of this transport regulation.
- 14.2. UN proper shipping name:** No dangerous good in sense of this transport regulation.
- 14.3. Transport hazard class(es):** No dangerous good in sense of this transport regulation.
- 14.4. Packing group:** No dangerous good in sense of this transport regulation.

#### 14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

#### 14.6. Special precautions for user

No dangerous good in sense of this transport regulation.

#### 14.7. Maritime transport in bulk according to IMO instruments

No dangerous good in sense of this transport regulation.

### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

##### EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3, Entry 75

2004/42/EC (VOC): 0 %

Information according to 2012/18/EU (SEVESO III): Not subject to 2012/18/EU (SEVESO III)

##### National regulatory information

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

Water hazard class (D): 1 - slightly hazardous to water

#### 15.2. Chemical safety assessment

For this substance a chemical safety assessment has not been carried out.

### SECTION 16: Other information

#### Changes

Changes in section: 1, 2, 3, 14, 15, 16





Safety Data Sheet

according to Regulation (EC) No 1907/2006

ULTRASOL OXY

Revision date: 17.03.2023

Product code: 00320-0347-GHS

Page 9 of 9

Abbreviations and acronyms

- ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route
RID = Règlement concernant le transport international ferroviaire de marchandises dangereuses
ADN = Accord européen relatif au transport international des marchandises dangereuses par voie de navigation intérieure
IMDG = International Maritime Code for Dangerous Goods
IATA/ICAO = International Air Transport Association / International Civil Aviation Organization
MARPOL = International Convention for the Prevention of Pollution from Ships
IBC-Code = International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk
GHS = Globally Harmonized System of Classification and Labelling of Chemicals
REACH = Registration, Evaluation, Authorization and Restriction of Chemicals
CAS = Chemical Abstract Service
EN = European norm
ISO = International Organization for Standardization
DIN = Deutsche Industrie Norm
PBT = Persistent Bioaccumulative and Toxic
vPvB = Very Persistent and very Bio-accumulative
LD = Lethal dose
LC = Lethal concentration
EC = Effect concentration
IC = Median immobilisation concentration or median inhibitory concentration

Classification for mixtures and used evaluation method according to GB CLP Regulation

Table with 2 columns: Classification, Classification procedure. Row 1: Eye Irrit. 2; H319, Calculation method

Relevant H and EUH statements (number and full text)

- H226 Flammable liquid and vapour.
H242 Heating may cause a fire.
H271 May cause fire or explosion; strong oxidiser.
H302 Harmful if swallowed.
H312 Harmful in contact with skin.
H314 Causes severe skin burns and eye damage.
H318 Causes serious eye damage.
H319 Causes serious eye irritation.
H332 Harmful if inhaled.
H335 May cause respiratory irritation.
H400 Very toxic to aquatic life.
H410 Very toxic to aquatic life with long lasting effects.
H412 Harmful to aquatic life with long lasting effects.

Further Information

Data of items 4 to 8, as well as 10 to 12, do partly not refer to the use and the regular employing of the product (in this sense consult information on use and on product), but to liberation of major amounts in case of accidents and irregularities.
The information describes exclusively the safety requirements for the product(s) and is based on the present level of our knowledge.
The delivery specifications are contained in the corresponding product sheet.
This data does not constitute a guarantee for the characteristics of the product(s) as defined by the legal warranty regulations.
The provision of the safety data sheet does not automatically guarantee the marketability of the product. (n.a. = not applicable; n.d. = not determined)

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)